



CCDS

CROP CONDITION AND DEVELOPMENT STAGES

AUGUST 19, 2021



DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT

Ing. Esteban J. Copati
ecopati@bc.org.ar

CROP ANALYST

Ing. Martín López
martinlopez@bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino
dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti
apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Justo Fernández Vidal
jfernandez@bc.org.ar


Jorgelina Mediate
jmediate@bc.org.ar

Florencia Rostagno
frostagno@bc.org.ar

CONTACT

Av. Corrientes 123
C1043AAB - CABA
Tel.: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2408-4344t




I - NWA (North-West Argentina)
II - NEA (North-East Argentina)
III - North-Central Córdoba
IV - South Córdoba
V - North-Central Santa Fe
VI - North Belt
VII - South Belt
VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires
X - Central Buenos Aires
XI - South-West de Buenos Aires - South La Pampa
XII - South-East Buenos Aires
XIII - San Luis
XIV - Cuenca del Salado
XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.

RECENT ADVERSE EVENTS



METHODOLOGY




Findings of the survey conducted through August 18, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to

SUNFLOWER 2021/21

Regional participation in the total national area (%)															
Regions	XII	XI	V	II	IX	XIV	X	IV	XIII	VI	VII	VIII	XV	III	I
Nat. Part. 2019/20	22,4	21,0	13,8	13,2	12,1	7,1	4,4	1,6	1,4	0,9	0,8	0,6	0,5	0,4	0,0
Hist. Nat. Part.	23,3	22,3	14,1	17,5	7,7	6,1	3,9	1,3	1,4	0,7	0,5	0,4	0,5	0,3	0,0

Moisture condition, Crop condition & Development stages												Week 34			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested				
II - NEA		21/22	-	-	41,0	-	-	-	-	-	-				
		20/21	-	-	21,0	-	-	-	-	-	-				
		16/21 Average	-	-	57,8	-	-	-	-	-	-				
V - CN S Fe		21/22	20,0	-	17,0	-	-	-	-	-	-				
		20/21	15,0	-	12,0	-	-	-	-	-	-				
		16/21 Average	-	-	21,0	-	-	-	-	-	-				
IX - N LP - S BA		21/22	-	-	-	-	-	-	-	-	-				
		20/21	-	-	-	-	-	-	-	-	-				
		16/21 Average	-	-	-	-	-	-	-	-	-				
X - Ctro BA		21/22	-	-	-	-	-	-	-	-	-				
		20/21	-	-	-	-	-	-	-	-	-				
		16/21 Average	-	-	-	-	-	-	-	-	-				
XI - SO BA - S LP		21/22	-	-	-	-	-	-	-	-	-				
		20/21	-	-	-	-	-	-	-	-	-				
		16/21 Average	-	-	-	-	-	-	-	-	-				
XII - SE BA		21/22	-	-	-	-	-	-	-	-	-				
		20/21	-	-	-	-	-	-	-	-	-				
		16/21 Average	-	-	-	-	-	-	-	-	-				
XIV - Cuenca Sal.		21/22	-	-	-	-	-	-	-	-	-				
		20/21	-	-	-	-	-	-	-	-	-				
		16/21 Average	-	-	-	-	-	-	-	-	-				
National		21/22	5,0	100,0	6,5	0,7	-	-	-	-	-				
		20/21	5,0	100,0	5,0	1,0	-	-	-	-	-				
		16/21 Average	-	-	14,6	4,2	-	-	-	-	-				




WHEAT 2020/21



Regional participation in the total national area (%)															
Regions	VI	III	XII	VII	XI	IX	V	IV	I	II	X	VIII	XIV	XV	XIII
Nat. Part. 2021/22	12,9	10,0	9,9	9,8	8,8	8,0	7,4	6,8	6,6	6,6	5,5	5,1	2,1	0,4	0,2
Hist. Nat. Part.	13,5	10,5	9,8	9,8	8,8	8,3	7,2	6,7	6,2	6,7	5,5	4,8	1,8	0,3	0,2

Moisture condition, Crop condition & Development stages												Week 34			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested				
I - NOA	Drought - Heatstroke	21/22	-	15,0	100,0	100,0	70,0	39,0	-	-	-				
		20/21	-	15,0	100,0	98,0	49,0	18,0	-	-	-				
		16/21 Average	-	-	100,0	96,4	60,8	21,8	-	-	-				
II - NEA	Drought - Heatstroke	21/22	-	20,0	100,0	96,0	56,0	5,0	-	-	-				
		20/21	-	21,0	100,0	74,0	29,0	4,0	-	-	-				
		16/21 Average	-	-	100,0	86,6	40,4	8,8	-	-	-				
III - CN Cba	Drought - Heatstroke	21/22	7,0	38,0	100,0	100,0	22,0	-	-	-	-				
		20/21	-	18,0	100,0	71,0	17,0	-	-	-	-				
		16/21 Average	-	-	100,0	86,8	25,5	-	-	-	-				
IV - S Cba		21/22	33,0	59,0	100,0	82,0	28,0	-	-	-	-				
		20/21	-	29,0	100,0	66,0	13,0	-	-	-	-				
		16/21 Average	-	-	100,0	74,0	14,2	-	-	-	-				
V - CN S Fe		21/22	68,0	80,0	100,0	86,0	26,0	1,0	-	-	-				
		20/21	4,0	68,0	100,0	68,0	17,0	-	-	-	-				
		16/21 Average	-	-	100,0	81,4	28,0	2,4	-	-	-				
VI - Núcleo Norte		21/22	80,0	90,0	100,0	81,0	8,0	-	-	-	-				
		20/21	-	45,0	100,0	66,0	16,0	-	-	-	-				
		16/21 Average	-	-	100,0	76,8	23,8	0,6	-	-	-				
VII - Núcleo Sur		21/22	87,0	100,0	100,0	75,0	7,0	-	-	-	-				
		20/21	-	43,0	100,0	52,0	9,0	-	-	-	-				
		16/21 Average	-	-	100,0	62,6	5,4	-	-	-	-				
IX - N LP - O BA		21/22	45,0	82,0	100,0	54,0	-	-	-	-	-				
		20/21	71,0	100,0	100,0	48,0	4,0	-	-	-	-				
		16/21 Average	-	-	100,0	52,6	2,4	-	-	-	-				
X - Ctro BA		21/22	90,0	100,0	100,0	57,0	17,0	-	-	-	-				
		20/21	100,0	100,0	100,0	47,0	2,0	-	-	-	-				
		16/21 Average	-	-	100,0	56,8	0,4	-	-	-	-				
XI - SO BA - S LP		21/22	50,0	85,0	100,0	43,0	-	-	-	-	-				
		20/21	100,0	100,0	100,0	45,0	-	-	-	-	-				
		16/21 Average	-	-	100,0	44,6	-	-	-	-	-				
XII - SE BA		21/22	80,0	93,0	100,0	71,0	-	-	-	-	-				
		20/21	100,0	100,0	100,0	38,0	-	-	-	-	-				
		16/21 Average	-	-	99,2	36,4	-	-	-	-	-				
National		21/22	56,3	75,7	100,0	74,0	16,4	2,8	-	-	-				
		20/21	40,7	64,2	100,0	58,7	12,4	1,3	-	-	-				
		16/21 Average	-	-	100,0	68,0	17,0	2,3	-	-	-				

CORN 2020/21



EARLY CORN 2020/21

Regional participation in the total national area (%)															
Regions	II	VI	I	VII	IX	X	VIII	XII	III	IV	V	XI	XIV	XIII	XV
Nat. Part. 2019/20	22,5	16,2	12,8	12,5	8,7	4,2	4,0	3,8	2,9	2,9	2,9	2,7	1,7	1,1	1,0
Hist. Nat. Part.	19,8	15,2	11,5	11,7	9,6	4,4	4,8	4,0	4,3	5,1	2,3	3,0	1,7	1,7	0,9
Moisture condition, Crop condition & Development stages													Week 34		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NOA		20/21	18,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,5
		19/20	100,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	92,2
II - NEA		20/21	27,0	74,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0
		19/20	100,0	92,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,8
III - CN Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
IV - S Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
VI - Núcleo Norte		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
VII - Núcleo Sur		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
VIII - CE E. Ríos		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
IX - N LP - O BA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
X - Ctro BA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
XII - SE BA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,0
National		20/21	28,2	74,3	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5
		19/20	100,0	92,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,8

LATE CORN 2020/21

Regional participation in the total national area (%)																	
Regions	III	IV	IX	XIII	VIII	X	V	XII	VI	XI	VII	XIV	II	I	XV		
Nat. Part. 2019/20	25,8	21,7	13,2	8,2	6,6	6,4	4,7	3,8	2,9	2,7	2,0	2,1	0,0	0,0	0,0		
Hist. Nat. Part.	28,0	22,1	12,0	8,8	3,7	6,1	5,9	2,7	3,2	2,4	3,0	2,1	0,0	0,0	0,0		
Moisture condition, Crop condition & Development stages														Week 34			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested						
III - CN Cba		20/21	60,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	93,0				
IV - S Cba		20/21	65,0	82,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0				
		19/20	100,0	99,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,4				
V - CN S Fe		20/21	65,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0				
		19/20	99,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,6				
VIII - CE E. Ríos		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,4				
IX - N LP - S BA		20/21	80,0	80,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,0				
		19/20	96,0	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	86,4				
X - Ctro BA		20/21	100,0	83,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	94,0				
		19/20	96,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,6				
XII - SE BA		20/21	70,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,0				
		19/20	94,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	70,2				
XIII - San Luis		20/21	82,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,6				
National		20/21	73,1	83,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,8				
		19/20	97,0	94,7	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,0				