OCTOBER 24, **2019**




BUENOS AIRES GRAIN EXCHANGE

DEPARTMENT OF AGRICULTURAL ESTIMATES

ISSN 2591-4715





HEAD OF DEPARTMENT

Esteban J Copati ecopati@bc.org.ar

CROP ANALYST Martin López

martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino dventurino @bc.org.ar

CROP CONDITION ANALYST

Sofía Console Insúa sconsoleinsua@bc.org.ar Soybean

Matías Mihura *mmihura* @bc.org.ar Corn

Juan F. De Aramburu *jdearamburu*@bc.org.ar Wheat and Sunflower

CONTACT

123 Corrientes Avenue C1043AAB - CABA Phone: +54 11 4515 8200 | 8300 estimacionesagricolas@bc.org.ar Twitter: @estimacionesbc

ISSN 2591-4715

Findings of the survey conducted through October, 23 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Early Corn Planted: as of October 23, 2019

Corn

Season 2019/2020

		· · · · ·			
	Regions	October 24, 2018	October 16, 2019	October 23, 2019	2013/2018 Average
	Regions	%	%	%	%
I.	NWA	-	-	-	-
II	NEA	-	-	-	-
Ш	NCnt Cba	97,0	35,0	75,0	98,4
IV	S Cba	98,0	41,0	68,0	96,6
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	91,0	96,0	99,6
VII	South Belt	100,0	87,0	91,0	98,4
VIII	ECnt ER	100,0	100,0	100,0	100,0
IX	N LP-W BA	95,0	46,0	68,0	93,0
Х	Cnt BA	84,0	40,0	55,0	81,0
XI	SW BA-S LP	70,0	5,0	15,0	55,6
XII	SEBA	42,0	5,0	19,0	42,4
XIII	SL	100,0	40,0	68,0	82,0
XIV	Cuenca Sal	90,0	38,0	51,0	79,6
XV	Others	100,0	10,0	12,0	100,0
	National	63,0	46,7	56,5	71,4

Early Corn Condition: as of October 23, 2019

Deciona		Very Poor	Poor	Fair	Good	Excellent
	Regions	%	%	%	%	%
I	NWA	-	-	-	-	-
Ш	NEA	-	-	-	-	-
Ш	NCnt Cba	-	10,0	53,0	37,0	-
IV	S Cba	-	11,0	65,0	24,0	-
V	NCnt SFe	-	-	36,0	56,0	8,0
VI	North Belt	-	9,0	54,0	31,0	6,0
VII	South Belt	-	6,0	51,0	38,0	5,0
VIII	ECnt ER	-	-	38,0	54,0	8,0
IX	N LP-W BA	-	23,0	58,0	19,0	-
х	Cnt BA	-	11,0	59,0	30,0	-
XI	SW BA-S LP	-	18,0	62,0	20,0	-
XII	SE BA	-	14,0	64,0	22,0	-
XIII	SL	-	15,0	55,0	30,0	-
XIV	Cuenca Sal	-	15,0	62,0	23,0	-
XV	Others	-	8,0	70,0	22,0	-
	National	-	9,6	52,8	33,8	3,8
Nat.	Oct 23, 2018	3,5	20,0	46,4	27,3	2,7



	Regions	Dry	Poor	Favourable	Optimum	Wet
	-	%	%	%	%	%
I	NWA	-	-	-	-	-
I	NEA	1,0	28,0	59,0	12,0	-
Ш	NCnt Cba	2,0	41,0	46,0	11,0	-
IV	S Cba	3,0	39,0	47,0	11,0	-
V	NCnt SFe	-	6,0	55,0	39,0	-
VI	North Belt	-	33,0	52,0	15,0	-
VII	South Belt	-	24,0	51,0	19,0	6,0
VIII	ECnt ER	-	3,0	55,0	38,0	4,0
IX	N LP-W BA	8,0	48,0	36,0	7,0	1,0
Х	Cnt BA	7,0	39,0	40,0	14,0	-
XI	SW BA-S LP	9,0	53,0	36,0	2,0	-
XII	SE BA	8,0	49,0	41,0	2,0	-
XIII	SL	4,0	35,0	45,0	16,0	-
XIV	Cuenca Sal	3,0	40,0	42,0	15,0	-
XV	Others	-	30,0	51,0	19,0	-
	National	2,1	30,8	48,1	17,2	1,7
Nat.	.Oct 23, 2018	5,2	45,4	41,1	6,2	2,1

Early Corn Moisture Condition: as of October 23, 2019

Early Corn Leaf Development: as of October 23, 2019

	Regions	October 24, 2018 %	October 16, 2019 %	October 23, 2019 %	2013/2018 Average %
I.	NWA	-	-	-	-
Ш	NEA	-	-	-	-
Ш	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	77,0	88,0	88,2
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
х	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	48,7	24,9	37,0	42,6

Sunflower

	Regions	October 24, 2018	October 16, 2019	October 23, 2019	2013/2018 Average			
	rtegione	%	%	%	%			
I	NWA	-	-	-	-			
II	NEA	100,0	100,0	100,0	100,0			
Ш	NCnt Cba	100,0	90,0	100,0	78,0			
IV	S Cba	70,0	14,5	20,0	38,0			
V	NCnt SFe	100,0	100,0	100,0	100,0			
VI	North Belt	100,0	100,0	100,0	84,0			
VII	South Belt	50,0	57,0	63,0	39,4			
VIII	ECnt ER	100,0	75,8	88,2	90,0			
IX	N LP-W BA	26,0	-	8,3	32,6			
Х	Cnt BA	30,0	6,7	9,6	31,4			
XI	SW BA-S LP	22,0	0,6	4,0	19,0			
XII	SEBA	25,0	3,3	22,4	22,2			
XIII	SL	20,0	-	6,0	28,6			
XIV	Cuenca Sal	44,0	16,4	20,0	40,8			
XV	Others	100,0	100,0	100,0	87,0			
National		56,0	36,8	43,2	48,3			

Sunflower Planted: as of October 23, 2019

Sunflower Condition: as of October 23, 2019

	Regions	Very Poor	Poor	Fair	Good	Excellent
		%	%	%	%	%
I	NWA	-	-	-	-	-
Ш	NEA	-	-	37,0	53,0	10,0
Ш	NCnt Cba	-	-	-	-	-
N	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	30,0	55,0	15,0
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	-	9,0	47,0	44,0	-
х	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	-	12,0	50,0	38,0	-
XII	SE BA	-	-	44,0	53,0	3,0
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	45,0	53,0	2,0
XV	Others	-	-	-	-	-
	National	-	0,5	36,9	52,8	9,8
Nat.	Oct 23, 2018	1,5	8,4	34,9	42,1	13,2



	Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
1	NWA	-	-	-	-	-
II	NEA	-	-	42,0	55,0	3,0
Ш	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	1,0	56,0	43,0	-
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	1,0	8,0	50,0	41,0	-
Х	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	5,0	23,0	56,0	16,0	-
XII	SE BA	-	4,0	47,0	49,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	42,0	50,0	8,0
XV	Others	-	-	-	-	-
	National	0,1	1,6	47,7	48,7	1,8
Nat.	.Oct 23, 2018	4,1	29,9	47,2	18,2	0,6

Sunflower Moisture Condition: as of October 23, 2019

Sunflower Leaf Development: as of October 23, 2019

	Regions	October 24, 2018 %	October 16, 2019 %	October 23, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
ш	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
Х	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SEBA	-	-	-	-
×III	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	42,1	33,4	33,8	35,0



	Regions	October 24, 2018 %	October 16, 2019 %	October 23, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
Ш	NEA	61,0	30,0	40,0	58,0
Ш	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	32,0	17,0	23,0	33,4
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
Х	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SEBA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	19,2	7,9	10,7	15,6

Sunflower Flowerbud Stage: as of October 23, 2019

Sunflower Flowering Stage: as of October 23, 2019

	Regions	October 24, 2018 %	October 16, 2019 %	October 23, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
II	NEA	27,0	-	11,0	24,6
III	NCnt Cba	-	-	-	-
N	S Cba	-	-	-	-
V	NCnt SFe	-	-	-	-
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
Х	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	6,3	-	2,0	4,7

Wheat

	Regions	Very Poor	Poor	Fair	Good	Excellent
	-	%	%	%	%	%
I	NWA	-	15,0	48,0	35,0	2,0
II	NEA	-	13,0	41,0	46,0	-
Ш	NCnt Cba	8,0	30,0	31,0	31,0	-
IV	S Cba	15,0	37,0	37,0	11,0	-
V	NCnt SFe	-	7,0	43,0	44,0	6,0
VI	North Belt	5,0	21,0	44,0	30,0	-
VII	South Belt	6,0	24,0	43,0	27,0	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	13,0	30,0	36,0	21,0	-
х	Cnt BA	10,0	42,0	44,0	4,0	-
XI	SW BA-S LP	31,0	44,0	25,0	-	-
XII	SE BA	1,0	33,0	43,0	23,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
	National	7,6	25,8	39,8	26,2	0,5
Nat.	.Oct 23, 2018	7,1	21,7	36,5	29,1	5,5

Wheat Moisture Condition: as of October 23, 2019

Regions		Dry	Poor	Favourable	Optimum	Wet
	Regions	%	%	%	%	%
I	NWA	7,0	28,0	51,0	14,0	-
Ш	NEA	-	4,0	50,0	46,0	-
III	NCnt Cba	5,0	19,0	53,0	23,0	-
IV	S Cba	15,0	32,0	33,0	20,0	-
V	NCnt SFe	-	1,0	54,0	45,0	-
VI	North Belt	-	14,0	50,0	36,0	-
VII	South Belt	-	6,0	48,0	45,0	1,0
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	12,0	38,0	41,0	9,0	-
х	Cnt BA	4,0	28,0	45,0	23,0	-
XI	SW BA-S LP	34,0	44,0	22,0	-	-
XII	SEBA	7,0	26,0	50,0	17,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		6,8	20,1	44,5	27,5	1,0
Nat.Oct 23, 2018		9,0	37,2	35,7	15,2	2,9



	Regions	October 24, 2018 %	October 16, 2019 %	October 23, 2019 %	2014/2019 Average %
L	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
Ш	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	96,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	94,0	100,0	98,6
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	94,0	69,0	87,0	95,4
Х	Cnt BA	91,0	60,0	82,0	87,6
XI	SW BA-S LP	81,0	58,0	76,0	77,4
XII	SEBA	92,0	55,0	74,0	78,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		96,6	86,0	93,2	94,3

Wheat Steam Extension: as of October 23, 2019

Wheat Heading: as of October 23, 2019

Regions		October 24, 2018	October 16, 2019	October 23, 2019	2014/2019 Average
		%	%	%	%
I	NWA	100,0	100,0	100,0	100,0
Ш	NEA	100,0	100,0	100,0	99,6
III	NCnt Cba	92,0	66,0	84,0	86,8
IV	S Cba	86,0	42,0	60,0	68,0
V	NCnt SFe	85,0	71,0	83,0	90,6
VI	North Belt	100,0	53,0	71,0	85,8
VII	South Belt	72,0	42,0	58,0	64,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	48,0	21,0	36,0	54,8
х	Cnt BA	52,0	16,0	32,0	38,8
XI	SW BA-S LP	39,0	10,0	28,0	33,6
XII	SEBA	44,0	12,0	31,0	33,6
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		75,5	47,5	62,4	68,1



	Regions	October 24, 2018 %	October 16, 2019 %	October 23, 2019 %	2014/2019 Average %
I	NWA	88,0	68,0	84,0	77,6
II	NEA	69,0	47,0	61,0	61,4
Ш	NCnt Cba	32,0	9,0	24,0	27,6
IV	S Cba	19,0	-	8,0	13,4
V	NCnt SFe	35,0	24,0	35,0	41,6
VI	North Belt	23,0	-	11,0	27,8
VII	South Belt	6,0	-	2,0	7,2
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	4,0
Х	Cnt BA	-	-	-	0,8
XI	SW BA-S LP	-	-	-	1,2
XII	SEBA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		23,4	10,5	18,3	22,2

Wheat Ripening: as of October 23, 2019

Wheat Mature: as of October 23, 2019

Regions		October 24, 2018	October 16, 2019	October 23, 2019	2014/2019 Average
	0	%	%	%	%
I	NWA	61,0	42,0	57,0	46,2
Ш	NEA	43,0	23,0	34,0	34,4
III	NCnt Cba	-	-	-	6,6
IV	S Cba	5,0	-	-	2,0
V	NCnt SFe	10,0	-	10,0	13,0
VI	North Belt	-	-		2,0
VII	South Belt	-	-		-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
Х	Cnt BA	-	-		-
XI	SW BA-S LP	-	-		-
XII	SEBA	-	-		-
XIII	SL	-	-		-
XIV	Cuenca Sal	-	-		-
XV	Others	-	-		-
National		8,3	4,4	6,9	7,4